

# TorrentExam

Input your exam code ...

The passing rate of our valid exam braindumps for most certifications is high up to 99%. A small PDF dumps free is ready to download for new customers to tell if our exam dumps are suitable for their real exam.

All Products | Contact now

## Why Choose Us



### QUALITY AND VALUE

RealExamFree Practice Exams are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development - no all dumps.



### TESTED AND APPROVED

We are committed to the process of vendor and third party approvals. We believe professionals and executives alike deserve the confidence of quality coverage these authorizations provide.



### EASY TO PASS

If you prepare for the exams using our RealExamFree testing engine, It is easy to succeed for all certifications in the first attempt. You don't have to deal with all dumps or any free torrent / rapidshare all stuff.



### TRY BEFORE BUY

RealExamFree offers free demo of each product. You can check out the interface, question quality and usability of our practice exams before you decide to buy.

## Customer Reviews



I wasted a lot of money and failed twice. Thanks to HPE0-J78 exam collection I pass now.

Noel



realexamfree is a reliable company. I pass exam at first shot. Many thanks

Julie



Pass BIMF.EN successfully. Really good dumps. It saves me a lot of time. Wonderful!

Ahern



online test engine is very useful for me, because i could practice the C-TERP10-67 question dumps in my phone when i was waiting or on the bus even without internet, i could make the most of my time. Last week, i passed the C-TERP10-67. so i want to share the realexamfree with you guys. hope you will get a good result in test.

Carl

<http://www.torrentexam.com>

Best Exam Bootcamp & Excellent VCE Torrent & Satisfying Dumps Torrent

**Exam** : **AND-801**

**Title** : **Android Application  
Development v8**

**Vendor** : **Android**

**Version** : **DEMO**

**NO.1** If you want to configure a link between two Android activities in the same Android application, you need to use:

- A. Progressbar
- B. Toast
- C. Intent
- D. Gradle

**Answer:** C

**NO.2** The following Android code locates Toronto CN tower on Google map using on the latitude and longitude coordinates. Which of the following choices is the correct choice to show your Google map in the zoom-in state?

```

override fun onMapReady(googleMap: GoogleMap) {
    GMap=googleMap
    val cnTower =LatLng(43.642633,-79.3878268)
    GMap.moveCamera(CameraUpdateFactory.newLatLng(cnTower))
    GMap.addMarker(MarkerOptions().position(cnTower).title("Toronto CN Tower"))
}

```

- A. Replace: GMap.moveCamera(CameraUpdateFactory.newLatLng(cnTower)) with: Map.moveCamera(CameraUpdateFactory.newLatLngZoom(cnTower, 16f)
- B. We can only show a position on Google map and we don't have permission to modify the zoom level
- C. Change the coordinates value to get the zoom level what we need
- D. Add the following code: GoogleMapZoom(60)%

**Answer:** A

**NO.3** You have an Android application that consists of two activities (MainActivity and SecondActivity) and you want to pass data in text field (ID: FirstNameJD) of MainActivity to SecondActivity. The passed data will appear in SecondActivity inside a TextView widget with Id: HelloMessageJD. You will use Intent to pass this data from MainActivity to SecondActivity. The following two images include the Android code which will be written in MainActivity.kt and SecondActivity.kt files. Your data will not pass from MainActivity to SecondActivity due to a mistake in the code in SecondActivity.kt. Which of the following choices is a correct solution to make this app run correctly?

```

class MainActivity : AppCompatActivity() {
    override fun onCreate(savedInstanceState: Bundle?) {
        super.onCreate(savedInstanceState)
        setContentView(R.layout.activity_main)

        Mybutton.setOnClickListener{
            var intent=Intent(this,SecondActivity::class.java)
            intent.putExtra("pass",FirstName_ID.text.toString())
            startActivity(intent)
        }
    }
}

```

```

class SecondActivity : AppCompatActivity() {
    override fun onCreate(savedInstanceState: Bundle?) {
        super.onCreate(savedInstanceState)
        setContentView(R.layout.activity_second)
        var message = intent.getStringExtra("name")
        HelloMessage_ID.text=message
    }
}

```

- A. Add startActivity(intent) to SecondActivity.kt

- B. Replace getStringExtra("name") with putSiringExtra( "name") in SecondActiy.kt file
- C. You need to add an if statement to solve this issue in the two files
- D. Replace "name" with "pass" in intent.getSt4ingExtra( "name")

**Answer:** D

**NO.4** Which of the following Android Studio folders includes drawable files for different launcher icon densities?

- A. Values
- B. Drawable
- C. layout
- D. Mipmap

**Answer:** D