

TorrentExam

Input your exam code ...

The passing rate of our valid exam braindumps for most certifications is high up to 99%. A small PDF dumps free is ready to download for new customers to tell if our exam dumps are suitable for their real exam.

All Products | Contact now

Why Choose Us



QUALITY AND VALUE

RealExamFree Practice Exams are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development - no all dumps.



TESTED AND APPROVED

We are committed to the process of vendor and third party approvals. We believe professionals and executives alike deserve the confidence of quality coverage these authorizations provide.



EASY TO PASS

If you prepare for the exams using our RealExamFree testing engine, It is easy to succeed for all certifications in the first attempt. You don't have to deal with all dumps or any free torrent / rapidshare all stuff.



TRY BEFORE BUY

RealExamFree offers free demo of each product. You can check out the interface, question quality and usability of our practice exams before you decide to buy.

Customer Reviews



I wasted a lot of money and failed twice. Thanks to HPE0-J78 exam collection I pass now.

Noel



realexamfree is a reliable company. I pass exam at first shot. Many thanks

Julie



Pass BIMF.EN successfully. Really good dumps. It saves me a lot of time. Wonderful!

Ahern



online test engine is very useful for me, because i could practice the C-TERP10-67 question dumps in my phone when i was waiting or on the bus even without internet, i could make the most of my time. Last week, i passed the C-TERP10-67. so i want to share the realexamfree with you guys. hope you will get a good result in test.

Carl

<http://www.torrentexam.com>

Best Exam Bootcamp & Excellent VCE Torrent & Satisfying Dumps Torrent

Exam : **H19-423_V1.0**

Title : **HCSA-Presales-IP Network
V1.0**

Vendor : **Huawei**

Version : **DEMO**

NO.1 Which of the following boards is not a board type currently supported by CE16800?

- A. 36-port 100G board
- B. 48-port Gigabit electrical port board
- C. 36-port 40G board
- D. 48-port 10G optical port board

Answer: B

NO.2 AP4050DN-HD built-in 60-degree directional antenna.

- A. True
- B. False

Answer: B

NO.3 Regarding the characteristics of agile distributed AP, Which of the following is the wrong statement?

- A. RU license-free and fewer management nodes
- B. Maximum support 48RU
- C. Plug and Play
- D. Slightly higher than the overall cost of panels

Answer: D

NO.4 Another tertiary hospital in the capital city of XXX needs to pass the security protection. What level should the general construction standard be determined according to?

- A. Level 5
- B. Secondary
- C. Level 3
- D. Level 4

Answer: C

NO.5 What benefits does network flattening bring to urban commercial banks and rural credit unions?

- A. Reduce line charges
- B. Reduce branch requirements
- C. Reduce the difficulty of network operation and maintenance

Answer: B

NO.6 Huawei AP7052DN supports smart antenna and IOT expansion.

- A. True
- B. False

Answer: B

NO.7 What are the problems with the four virtual ones of H3C S10500 and S12500? (Multiple choice)

- A. The four devices must be connected in a ring network and do not support full connection mode.

- B. Limited functions. Some functions require a reboot to switch
- C. Fault domains are not isolated, violating the design principles of distributed systems
- D. After four deficiencies and one deficiency, it is not supported to have more deficiencies

Answer: A B C D

NO.8 SDWAN.Supports application-level intelligent routing and intelligent routing switching. Which of the following indicators can be used as the basis for intelligent routing switching? (Multiple choice)

- A. Packet loss rate
- B. Jitter
- C. Burst traffic
- D. Delay

Answer: A B D

NO.9 Which of the following is the wireless frequency band used by WLAN?

- A. 5GHz and 8GHz
- B. 2.4Hz and 5GHz
- C. 400MHz and 800MHz
- D. 800MHz and 1800MHz

Answer: B

NO.10 All competitors claim that their switches support lossless capabilities, but they only have static tuning capabilities.

- A. True
- B. False

Answer: A

NO.11 Which of the following design principles is wrong when deploying APs?

- A. Minimize the number of obstacles that the signal passes through
- B. AP deployment away from interference sources
- C. Ensure that the AP is facing the target coverage area
- D. AP deployment does not need to consider the surrounding environment

Answer: D

NO.12 What is the number of GE electrical ports supported by the AR6140-16G4XG?

- A. 16
- B. 4
- C. 12
- D. 8

Answer: C

NO.13 Attacking Ruijie's weaknesses in one sentence, mainly guiding the 2.5G solution.

- A. True
- B. False

Answer: A

NO.14 Which of the following technologies are not supported by NE40E?

- A. Wide Area Acceleration
- B. 100G ports of QSFP28 and CFP2
- C. IPsec encryption
- D. 50G port

Answer: A

NO.15 S127E competes with H3C. Which of the following is wrongly described?

- A. Air duct: rear air duct
- B. High bandwidth: Support 24 100G
- C. Fan frame: more than or equal to 3 fan frames
- D. Power module: support 3000W power supply

Answer: C

NO.16 What are the implementation schemes of the off-site overload control dynamic weighing subsystem? (Multiple choice)

- A. Quartz piezoelectric sensor
- B. Bending Plate Electronic Strain Sensor
- C. Narrow Strip Resistive Strain Sensor
- D. Flat electronic strain sensor

Answer: A B C D

NO.17 FireHunter 6000 can work with USG 6000E to block malicious file traffic.

- A. True
- B. False

Answer: A

NO.18 FabricInSight has become a powerful tool for expanding data center network solutions. Which of the following features is correct? (Multiple choice)

- A. Predictive maintenance based on machine intelligence, supporting proactive prediction of optical module failures
- B. The new version focuses on health checks and achieves fault location within 1 minute
- C. Applied to network mutual visibility and fault perception within seconds
- D. Supports docking with third-party devices to form heterogeneous advantages
- E. Supports lightweight deployment, only one physical machine is needed

Answer: A B C D E

NO.19 C&C server (also known as CIC server) is also called ComandaControlServer, which is generally the main control server of the command and control botnet. It is used to communicate with each host infected with malware in the botnet and direct their attack behavior.

- A. True

B. False

Answer: A

NO.20 This year, AR released a new generation of routers. Regarding the three features of the new generation NetEngineAR, which of the following descriptions is correct? (Multiple choice)

A. Multi-mode ZIP, on-demand network orchestration, real-time fault alarm, 45+ visual reports

B. Leading Sloop architecture, the industry's highest performance L3L7 full-service efficient processing

C. iPath application-level intelligent routing & optimization, A-FEC enables video experience with 20% packet loss and no screen distortion

D. X86 architecture, performance is 3 times that of the industry

Answer: A B C

NO.21 The large number of signatures in the VSCAN1000 vulnerability detection rule library is a highlight of the product. What is the approximate number?

A. About 100,000+

B. About 10,000+

C. About 50,000+

D. About 80,000+

Answer: D

NO.22 Which of the following description about AC backup is wrong?

A. Both VRRP and dual-link mechanisms support uplink detection

B. Two AC products as redundant backup protection can effectively improve the reliability of enterprise wireless office network services

C. 1+1 hot standby supports backup of user data information, CAPWAP tunnel information, AP table entries, etc.

D. Support dual-link backup mechanism, more flexible networking, the main and backup AC can only be a two-layer network

Answer: D

NO.23 Which of the following are the correct statement about AP4050DN-E? (Multiple choice)

A. Support 802.11ac wave 2 standard

B. Support PoEOUT

C. Built-in Bluetooth

D. Built-in 3 IoT module slots, expandable RFID/ZigBee/ANT and other IoT modules

Answer: A B C D

NO.24 There are different demands for different scenarios of electric vehicle charging. What are they? (Multiple choice)

A. Remote Operation and Maintenance

B. Reduce investment

C. New business model development

D. Safe charging

Answer: A B C D

NO.25 Which protocol is WIFI6?

A. 802.11n

B. 802.11

C. 802.11ax

D. 802.11aC.

Answer: C

NO.26 Which of the following descriptions of AI Fabric solution is wrong?

A. By deploying the AI Fabric solution, you can achieve the same throughput as the IB network.

B. Lossless technology to achieve zero packet loss on Ethernet

C. By deploying the AI Fabric network, computing, HPC, and storage networks can be deployed together

D. AI Fabric uses the RDMA protocol to encrypt business message forwarding

Answer: D

NO.27 The USG6000E email filtering function depends on the content security component package. There is no need to manually load the content security component package. The content security component package is directly placed in the software package and automatically loaded when the device starts.

A. True

B. False

Answer: A

NO.28 Which of the following is the protection level of AirEngine8760R-X1&-X1E products?

A. IP23

B. IP34

C. IP67

D. IP68

Answer: D

NO.29 M-LAG2.0 features support which of the following technology and achieve 100ms switching in case of single point failure? (Multiple choice)

A. ND FRR

B. ARP FRR

C. MAC FRR

D. IP FRR

Answer: A B C

NO.30 In principle, there is no discount for reselling products of business alliance partners. Special application will be made to the original manufacturer only when there is fierce competition for

important projects.

A. True

B. False

Answer: A

NO.31 All of Huawei's security services are provided by CSSP partners.

A. True

B. False

Answer: B

NO.32 Compared with IPsec encryption, Macsec can achieve end-to-end encryption without affecting forwarding performance

A. True

B. False

Answer: A

NO.33 Friends questioned whether the power supply and fan frame are independently pluggable and meet the 1+ yuan surplus: The power supply and fan frame redundancy means that when the fan or power supply fails at a single point, the system can still work normally when the bad parts are replaced. The backup module is an important guarantee for the reliability of the equipment. All manufacturers in the industry support redundant power supply and fan frame configuration.

A. True

B. False

Answer: A

NO.34 Which customer group is not included in the manufacturing industry?

A. Mining and Nonferrous Metals

B. Semiconductors

C. Weak current

Answer: C

NO.35 How many types of licenses are available for sale for VSCAN1506?

A. 4

B. 8

C. 6

D. 2

Answer: C